

INDEX MAPS.

T. 13N, R. 5 E. 2nd Mer.

	5-8	5-8	5-7	6-7	6-7	6						
11	6	33	5	27	4	23	3	19	2	15	1	4
	33		32		27		23		19		15	
10	7	32	8	26	9	22	10	18	11	14	12	4
	32		31		26		22		18		14	
10	18	31	17	25	16	22	15	18	14	14	13	4
	31		30		25		21		17		13	
9	19	30	20	25	21	21	22	17	23	13	24	3
	29		29		25		21		17		13	
9	30	29	29	24	28	20	27	16	26	12	25	3
	28		28		24		20		16		12	
9	31	28	32	24	33	20	34	15	35	11	36	3
	2		2		2		1		1		1	

Meanders 34

Meaders 34

T. 14N, R. 5 E. 2nd Mer.

	43	42	42	42	42	41						
45	6	69	5	61	4	57	3	53	2	49	1	41
	69		68		61		57		53		49	
45	7	67	8	61	9	57	10	53	11	48	12	40
	67		67		60		56		52		48	
44	18	66	17	60	16	56	15	52	14	48	13	40
	66		65		60		56		52		47	
44	19	65	20	59	21	55	22	51	23	47	24	40
	64		64		59		55		51		47	
44	30	63	29	58	28	55	27	50	26	46	25	39
	63		62		58		54		50		46	
43	31	62	32	58	33	54	34	50	35	46	36	39
	38		38		38		37		37		37	

Meaders 69

1

Township N. 13 North, Range N. 3 East 2^d Mer. Indiana

South Boundary var. 7.00. E.

Met On S. boundary of Sec. 36, T13N. R3E.

40.00 Set the q. Sec. post, from which
a Beech 12 in. dia. bray S 57 E 13 lks. dist. of
a Do 14 " " " N 42 W 12 " "

42.75 a Beech 15 " "

80.00 Set a post Cor. to Sec. 35 & 36, from which
an Ash 6 in. dia. bray S 44 E 13 lks. dist. of
a Beech 10 " " " N 37 W 18 " "

Level land good for farming, timber Beech
Ash, Sugar &c. underg. Spruce &c.

Met On S. boundary of Sec. 35, T13N. R3E.

2.10 a Beech 15 in. dia.

40.00 Set the q. Sec. post, from which
a Beech 18 in. dia. bray S 60 W 26 lks. dist. of
a Do 9 " " " N 57 E 18 " "

47.20 a Beech 18 " "

80.00 Set a post Cor. to Sec. 34 & 35, from which
a Beech 12 in. dia. bray S 49 W 23 lks. dist. of
a Do 14 " " " N 14 E 27 " "
Land timber &c. same as on the last mile

Met On S. boundary of Sec. 34, T13N. R3E.

6.00 a Branch Elm, wide Cor. ^S Met

7.10 a Beech 20 in. dia.

40.00 Set the q. Sec. post, from which
a Sugar 10 in. dia. bray N 49 W 34 lks. dist. of
a Do 12 " " " N 89 E 34 " "

46.75 a Beech 9 " "

80.00 Set a post Cor. to Sec. 33 & 34, from which
an Elm 10 in. dia. bray N 57 W 10 lks. dist. of
an Ironwood 8 " " " S 36 E 23 " "

T13N R3E. T^h. Mer. Indiana

Sand level, timber Beech, Ash, Sugar, Elm
 &c. undugth. Spice, briar &c. Soil good

West On S. boundary of Sec. 33, T13N. R3E.
 4.35 a Beech 15 in. dia.

40.00 Set the g. Sec. post, from which
 a Beech 18 in. dia. bray NNE 19 lks. dist. of
 a No 21 " " " S3E 28 " "

80.00 Set a post Cor. to Sec. 32 & 33, from which
 a Beech 21 in. dia. bray N3W 3 lks. dist. of
 a No 20 " " " N8W 24 " "

Sand level, timber Beech, Sugar &c. undugth.
 Spice, briar &c. bushy field

West On S. boundary of Sec. 32, T13N. R3E
 8.95 a Beech 16 in. dia.

16.00 a Branch 6 lks. wide Course S.W.

40.00 Set the g. Sec. post, from which
 a Sugar 18 in. dia. bray N5W 20 lks. dist. of
 a No 18 " " " N61W 15 " "

42.80 a Sugar 10 " "

50.00 a Branch 6 lks. wide Course S.W.

80.00 Set a post Cor. to Sec. 31 & 32, from which
 a Beech 17 in. dia. bray N35W 19 lks. dist. of
 a No 15 " " " S66E 33 " "

Sand level, timber Beech, Sugar &c. undugth.
 Spice &c. Soil good

West On S. boundary of Sec. 31, T13N. R3E.
 1.40 a Beech 18 in. dia.

40.00 Set the g. Sec. post, from which
 a Sugar 9 in. dia. bray N46W 3 lks. dist. of
 a No 8 " " " S61E 9 " "

T13. N. R3E. 2nd Mer. Indiana

66.24 to Township Corner

East Boundary var. 6° 10' E

North On E. boundary of Sec. 36, T13. N. R3E.

16.00 a Beech 15 in. dia.

40.00 At the q. Sec. post, from which

a W. Oak 30 in. dia. bears S43°W 20 lks. dist. of

a Beech 15 " " " S51°E 18 " "

52.40 a Beech 15 " "

80.00 At a post Cor. to Sec. 25 & 36, from which

a Beech 12 in. dia. bears S23°W 25 lks. dist. of

a No 20 " " " N46°E 45 " "

Level land, timber Beech, Ash &c. undergrowth
Spruce. Soil good

North On E. boundary of Sec. 25, T13. N. R3E.

37.70 a Beech 18 in. dia.

40.00 At the q. Sec. post, from which

a W. Oak 21 in. dia. bears N77°W 7 lks. dist. of

a Beech 12 " " " East 20 " "

61.10 an Elm 24 in. dia.

80.00 At a post Cor. to Sec. 24 & 25, from which

a Swamp Ash 9 in. dia. bears N30°E 11 lks. dist. of

an Ash 10 " " " S71°W 20 " "

Level brushy land, timber Ash, Elm &c. underg^o.
Spruce, Prickly Ash &c.

North On E. boundary of Sec. 24, T13. N. R3E.

24.00 an Ash 24 in. dia.

40.00 At the q. Sec. post, from which

a Red Oak 12 in. dia. bears N69°W 20 lks. dist. of

a Dogwood 6 " " " S27°E 5 " "

57.60 a B. Walnut 10 in. dia.

T13N R3E 2^d Mer. Indiana

80.00 Set a post Cor. to Sec. 13 of 24, from which
a Span. Oak 27 in. diam. bray S 87° W 5 lks. dist. &
a Beech 12 " " " N 49° E 25 " "
Level, timber as above

North On E. boundary of Sec. 13, T13N R3E

40.00 Set the q. Sec. post, from which
a Beech 12 in. diam. bray S 21° W 26 lks. dist. &
a Do 15 " " " N 75° E 13 " "

62.60 a Sugar 15 " "

80.00 Set a post Cor. to Sec. 12 of 13, from which
a Walnut 6 in. diam. bray — 64 E 22 lks. dist. &
a W. Walnut 6 " " " N 76° W 7 " "
Level brushy land, timber Beech, Sugar & Walnut

North On E. boundary of Sec. 12, T13N R3E.

12.35 an Aspen 15 in. diam.

40.00 Set the q. Sec. post, from which
an Aspen 12 in. diam. bray S 44° W 9 lks. dist. &
a Do 15 " " " S 32° E 9 " "

71.00 an Aspen 15 in. diam.

80.00 Set a post Cor. to Sec. 11 of 12, from which
a W. Oak 20 in. diam. bray N 72° W 21 lks. dist. &
an Elm 12 " " " S 83° E 23 " "
Level land, timber Aspen, Beech & underg. Spruce

North On E. boundary of Sec. 1, T13N R3E.

40.00 Set the q. Sec. post, from which
a Beech 20 in. diam. bray N 59° W 19 lks. dist. &
an Ash 24 " " " N 63° E 28 " "

40.85 a Maple 18 " "

75.15 Set a post Cor. to Township, N. 13 of 14 N. Range
N. 3/4 East, from which

T3N R3E 2nd Mer. Indiana

a Beech 20 in. dia. bear N 29 W 19 lbs. dist. 8
 a Dogwood 6 " " " 147 E 16 " "
 Land timber &c. same as on the last mile

North Boundary. July 6th 1820

East On Ran 8th S. boundary of Sec. 31, T4N R3E.
 3.00 to the Bank of White River 500 lbs. wide S.E.
 8.00 Set temp^y. post on E. side of River
 38.57 an Oak 24 in. dia.
 40.00 Set temp^y. g^r. Sec. post
 50.30 a W. Oak 30 in. dia.
 80.00 Set temp^y. post Cor. to Sec. 31 & 32, T4N R3E.
 Land rich bottom, timber Sugar, Walnut,
 Buckeye, Locust, Spice & prairie

East On Ran 8th S. boundary of Sec. 32, T4N R3E.
 37.37 a Brook 20 lbs. wide Course —
 40.00 Set temp^y. g^r. Sec. post
 50.00 leave the River bottom
 61.46 a B. 27 (what this B. is nobody can tell.)
 77.50 a Branch 50 lbs. wide Course N.E.
 80.00 Set temp^y. post Cor. to Sec. 32 & 33, T4N R3E.
 Rich level land, timber Sugar, B. Oak, Elm,
 Buckeye, Lyrn &c. undg^d. Spice, prairie & G. vine.

East On Ran 8th S. boundary of Sec. 33, T4N R3E
 34.92 a B. 16.
 40.00 Set temp^y. g^r. Sec. post
 50.50 a B. 27.
 80.00 Set temp^y. post Cor. to Sec. 33 & 34, T4N R3E.
 Good farming land, Beech, Sugar, Oak, Elm &c.
 Walnut, undg^d. Spice, prairie &c.

T43 N R3 E 2nd Mer. Indiana

East On Rand^m S. boundary of Sec. 34, T43 N R3 E.

38.30 a Walnut 18 in. dia.

40.00 Set temp^y. g. Sec. post

58.32 a B. 4th.

62.00 a Branch 5th. wide Cr. St.

80.00 Set temp^y. post Cor. to Sec. 34 & 35, T43 N R3 E.

Rich level land, timber same as last (mile)

East On Rand^m S. boundary of Sec. 35, T43 N R3 E.

2.00 a Branch 6th. wide

31.11 a Sugar 20 in. dia.

40.00 Set temp^y. g. Sec. post

80.00 Set temp^y. post Cor. to Sec. 35 & 36, T43 N R3 E.

Sand timber &c. same as on last (mile)

East On Rand^m S. boundary of Sec. 36, T43 N R3 E.

35.74 a B. 18.

40.00 Set temp^y. g. Sec. post

53.76 a Walnut 36 in. dia.

75.00 Intersected temp^y. Lower Corner.

Good farming land B, Sugar, Ash, Elm
Walnut, Poplar, Spruce & Pawpaw

West On true line S. boundary of Sec. 36, T43 N R3 E.

30.60 a W. Oak 24 in. dia.

40.00 Set th^g. Sec. post, from which

a Beech 14 in. dia. - bray S 37th 17th dist. of

a Do 15 " " " N 53th 14 " "

74.00 a Sugar 20 " "

80.00 Set a post Cor. to Sec. 35 & 36, T43 N R3 E. from which

a Beech 16 in. dia. - bray N 28th E 12th dist. of

a Hickory 12 " " " S 8th E 12 " "

Good farming land, timber Beech, Sugar

7

T34 N R3 E 2nd Mer. Indiana

Ash &c. undergth Spruce

Nest On true line S. boundary of Sec. 35, T14 N. R3 E,
38.00 a Brook 4 lks, wide Course N.W.

40.00 Set of Sec. post from which a
Hickory 13 in. diam. bear S 87 E 11 lks. dist. of
a Beech 14 " " " N 78 W 10 " "

65.15 a Beech 14 " "

68.00 a Brook 5 lks, wide Course N.W.

80.00 Set a post Cor. to Sec. 34 & 35, T14 N. R3 E. from which
a Beech 14 in. diam. bear S 80 E 13 lks. dist. of
an Ash 12 " " " S 84 W 22 " "

Over good farming land, timber Sugar, Beech,
Ash &c. undergth Spruce.

Nest On true line S. boundary of Sec. 34, T14 N. R3 E.
10.40 an Ash 20 in. diam.

40.00 Set the of Sec. post, from which
a Hornbeam 8 in. diam. bear S 2 E 19 lks. dist. of
a Hickory 12 " " " N 40 W 39 " "

52.60 a Walnut 20 " "

80.00 Set a post Cor. to Sec. 33 & 34, T14 N. R3 E. from which
a Beech 12 in. diam. bear S 85 E 32 lks. dist. of
a Do 7 " " " N 70 W 10 " "

Sand timber &c. Same as on the last mile

Nest On S. boundary of Sec. 33, T14 N. R3 E.

33.50 an Oak 24 in. diam.

40.00 Set the of Sec. post, from which
an Oak 40 in. diam. bear N 41 W 2 lks. dist. of
an Ash 8 " " " N 81 E 29 " "

52.83 a Beech 12 " "

58.00 a Creek 50 lks, wide Course North

T13 N. R3 E. 2^d. Mer. Indiana

80.00 Set a post Cor. to Sec. 32 & 33, T14 N. R3 E. from which
a Beech 20 in. dia. bears N36 E 54 lbs. dist. of
a Do 30 " " " S43 W 24 " "
Over good farming land, timber Beech, Ash &c.
underg^g. Spruce &c

West On true line S. boundary of Sec. 32, T14 N. R3 E.

40.00 Set q. Sec. post, from which
a Locust 18 in. dia. bears S41 E 36 lbs. dist. of
a Hickory 7 " " " N85 W 17 " "

60.75 a Beech 13 " "

80.00 Set a post Cor. to Sec. 31 & 32, T14 N. R3 E. from which
a Sugar 12 in. dia. bears S14 E 14 lbs. dist. of
an Oak 12 " " " N21 W 21 " "
Over rich land, timber Buckeye, Ash, Sugar &c.

West On true line S. boundary of Sec. 31, T14 N. R3 E

35.00 a Creek & Bayou 100 lbs. wide course S.W.

40.00 Set the q. Sec. post, from which
a Buckeye 14 in. dia. bears N6 E 29 lbs. dist. of
a Hackberry 20 " " " S4 W 44 " "

49.60 Intersected E. bank of W. River, set a post, from which
a Sycamore 6 in. dia. bears S22 W 6 lbs. dist. of
a Do 5 " " " N13 W 6 " "

53.83 Set a post on the W. bank White River, from which
a Maple 14 in. dia. bears N44 W 8 lbs. dist. of
a Do 12 " " " S22 E 22 " "

* Over low River bottoms, timber Elm, Hackberry
Subject to inundation, rich Soil.

+ 66.87 Set a post Cor. to Township N. 13 & 14 North, of
Range N. 2 & 3 East, 2^d. Mer. from which
an Elm 14 in. dia. bears S20 E 25 lbs. dist. of
a Hackberry 16 " " " N44 E 41 " "

T13N R3E 2^d. Mer. Indiana

Surveyed in 1849 by John M^c. Donald, R. S.

West Boundary var. 5⁺55'E
 North On E. boundary of Sec. 36, T13N, R2E.
 6.65 a Beech 27 in. diam.
 8.50 a Branch 4 in. wide Course N.E.
 40.00 At the gr. Sec. post, from which
 a Beech 36 in. diam. bray N28W 27 in. diam.
 a Do 21 " " " S42E 5 " "
 46.35 a Beech 20 " "
 61.00 a Branch 6 in. wide Course S.W.
 67.54 a Do 15 " " " S.W.
 80.00 At a post Cor. to Sec. 25 & 36, T13N, R2E, from which
 a Beech 9 in. diam. bray N51E 7 in. diam.
 a Do 8 " " " S41W 16 " "
 Gently rolling, timber Beech, Sugar, Ash,
 Poplar, undergrowth, Spice.

North On E. boundary of Sec. 25, T13N, R2E.
 17.00 a W. Oak 27 in. diam.
 40.00 At the gr. Sec. post, from which
 a Beech 27 in. diam. bray S6E 22 in. diam.
 a Do 18 " " " N27E 12 " "
 58.50 a Beech 15 " "
 80.00 At a post Cor. to Sec. 24 & 25, T13N, R2E, from which
 a Beech 18 in. diam. bray N24W 22 in. diam.
 a Do 24 " " " S15E 28 " "
 Rolling land, timber Beech, Sugar, Ash &c.
 underg^g. Spice, Sugar &c. Soil good

North On E. boundary of Sec. 24, T13N, R2E.
 23.05 an Elm 12 in. diam.
 40.00 At the gr. Sec. post, from which
 a Red Oak 27 in. diam. bray S29W 6 in. diam.

T3N R3E 2^d. Mer. Indiana

a Sugar 8 in. diam. bearing N 30 E. 22 lks. dist. of
 50.30 a Hickory 20 in. diam.
 80.00 Set a post Cor. to Sec. 13 & 14, T3N R2E, from which
 a Beech 24 in. diam. bearing S 43 W 12 lks. dist. of
 a Do 10 " " " N 37 E 47 " "
 Rolling rich land, timber Beech, Sugar, Cherry
 Walnut &c. underg^d. Spice Soil rich.

North On E. boundary of Sec. 13, T3N R2E.

23.20 a Sugar 15 in. diam.

27.00 at Branch 8 lks. wide Course S 9 W.

40.00 Set the q^r. Sec. post, from which
 a Sycamore 40 in. diam. bearing S 68 W 10 lks. dist. of
 a Beech 20 " " " N 68 E 15 " "

62.90 a Sugar 15 " "

80.00 Set a post Cor. to Sec. 12 & 13, T3N R2E, from which
 a Sugar 15 in. diam. bearing N 38 E 32 lks. dist. of
 a Do 6 " " " S 20 W 4 " "

Rolling land, timber Beech, Sugar, Walnut &c.
 underg^d. Spice, rich Soil

North On E. boundary of Sec. 12, T3N R2E.

20.40 a W. Oak 36 in. diam.

40.00 Set the q^r. Sec. post, from which
 a Buckeye 12 in. diam. bearing S 45 E 13 lks. dist. of
 a Hickory 9 " " " N 26 W 9 " "

52.35 a Hickory 21 " "

80.00 Set a post Cor. to Sec. 11 & 12, T3N R2E, from which
 a Hackberry 20 in. diam. bearing N 83 W 43 lks. dist. of
 a Bur Oak 20 " " " S 66 E 35 " "

Level bottom, timber Hackberry, Walnut, Buckeye
 &c. underg^d. Spice, Pickley Ash &c. Soil rich.

T13 N R3 E 2^d. Mer. Indiana

- North On E. boundary of Sec. 1. T13 N. R2 E.
 14.18 Intersect N. Fork of W. River, set a post from which
 a Sycamore 30 in. dia. bear S54 E 12 lks. dist. of
 a Do 12 " " " S36 W 10 " "
 17.34 set a post on the N. side of said River from which
 a Sycamore 6 in. dia. bear S83 E 8 lks. dist. of
 a do 6 " " " N47 W 15 " "
 28.30 a Hickory 24 " "
 40.00 set the q. Sec. post, from which
 a Hackberry 18 in. dia. bear N77 W 20 lks. dist. of
 a Duckeye 15 " " " S55 E 10 " "
 77.12 set a post Cor. to T^s 13 & 14 N. R^s 2 & 3 E, from which
 an Elm 12 in. dia. bear S21 E 25 lks. dist. of
 a Hackberry 12 " " " N44 E 41 " "
 Sand level
 Surveyed by John M. McDonald, U.S.

We John Brown, John Chambers, John Lushwa
 do solemnly swear in the presence of Almighty God,
 that in all measurements in which we shall be
 employed as Chain Carriers in the public surveys, we
 will faithfully and impartially execute the duties of
 the trust reposed in us to the best of our skill and
 abilities, so help us God.

John Brown }
 John Chambers } Chainmen
 John Lushwa } Axman

sworn and subscribed before me this 11th day of Sept.
 1820.
 P. Bentley U.S.

Subdivision
 North Between Secs. 35 & 36, T13 N. R3 E.
 24.54 a Beech 18 in. dia.

T3 N R3 E. 2^d. Mer. Indiana

35.00 a Beech 12 in. dia.

40.00 Set the q^r. Sec. post, from which
a Hickory 4 in. dia. bears N30E 37 lks. dist. of
a Do 10 " " " S16W 10 " "

65.20 a Spruce 24 in. dia.

80.00 Set a post Cor. to Secs. 25, 26, 35 & 26, from which
a Beech 6 in. dia. bears N63½ E 19 lks. dist. of
an Elm 18 " " " S24W 60 " "
Land level 2^d. rate timber, Beech, Ash Hickory &c.
undergrowth Spice Dogwood Briers -

East On Random Between Secs. 25 & 36, T3 N R3 E.

40.00 Set the temp^y. q^r. Sec. post

80.10 Intersected N. & S. line 18 lks. N. of post
Land level 2^d. rate timber Beech &c. 1st ½ all fallen
last ½ Beech, Hickory, Poplar undergth Spice Dogth Briers

West Corrected Between Secs. 25 & 36, T3 N R3 E.

40.05 Set q^r. Sec. post at average dist. from which
a Beech 24 in. dia. bears East 38 lks. dist. of
a Do 15 " " " S81W 26 " "

80.10 to Sec. Corner

North Between Secs. 25 & 26, T3 N R3 E.

17.40 an Ash 6 in. dia.

40.00 Set the q^r. Sec. post, from which
a Beech 26 in. dia. bears N21E 40 lks. dist. of
a Do 7 " " " S15E 14 " "

59.12 a Beech 30 " "

80.00 Set a post Cor. to Secs. 23, 24, 25 & 26, from which
a Sugar 6 in. dia. bears N3½W 4 lks. dist. of
a Beech 5 " " " S18E 17 " "

Land level 2^d. rate Timber ash poplar Beech &c.

Sp. N. R 3 E. 2^d. Mer. Indiana

undergrowth Spice & Ash -

East On Random Between Sec^s 24 & 25, T 13 N, R 3 E.
 40 .00 Set the temp^y. q^r. Sec. post
 80 .89 Intersected the N. & S. line 22 lks. S. of post
 Land level 2^d. rate timber Beech Ash undergth. Spice

West Corrected Between Sec^s 24 & 25, T 13 N, R 3 E.
 40 .44 Set a q^r. Sec. post at average dist. from which
 an Ironwood 4 in. dia^r. bears N 74 W 7 lks. dist. &
 a Lynn 15 " " " S 50 E 26 " "
 80 .89 to Section Corner

North Between Sec^s 23 & 24, T 13 N, R 3 E.
 24 .20 a Beech 12 in. dia^r.
 40 .00 Set the q^r. Sec. post from which
 a Beech 30 in. dia^r. bears N 30 W 24 lks. dist. &
 a Do 10 " " " S 11 E 28 " "
 62 .55 and Ash 10 " "
 80 .00 Set a post Corner To Sec^s 13 & 14, from which
 a Beech 20 in. dia^r. bears N 39 E 11 lks. dist. &
 a Do 10 " " " S 81 W 36 " "
 Land level 2^d. rate Timber, Ash Beech Hick^y. Oak

East On Random Between Sec^s 13 & 24, T 13 N, R 3 E.
 40 .00 Set the temp^y. q^r. Sec. post
 80 .64 Intersected the N. & S. line 5 lks. N. of post -
 Land level 2^d. rate, timber Ash Beech Hickory
 &c. undergrowth Spice Green Briers

West Corrected Between Sec^s 13 & 24, T 13 N, R 3 E.
 40 .32 Set q^r. Sec. post at average dist. from which
 and Ash 18 in. dia^r. bears N 11 E 38 lks. dist. &

T3N R3E 2^d Mer. Indiana

a Beech 15 in. dia. bears S 32 $\frac{1}{2}$ E 20 chs. dist.
 30 .64 to Section Corner Sept. 11th 1820

North Between Secs. 13 & 14, T3N, R3E,

19 .55 a Sugar 28 in. dia.

40 .00 Set the q. Sec. post from which

a Beech 10 in. dia. bears N 27 E 14 chs. dist. &

a No 24 " " " S 12 E 17 " "

62 .25 an Elm 30 " "

80 .00 Set a post Corner to Secs. 11, 12, 13 & 14, from which

an Ash 10 in. dia. bears N 16 $\frac{1}{2}$ E 30 chs. dist. &

a No 18 " " " S 2 $\frac{1}{2}$ W 17 " "

Land rolling 2^d rate timber Ash Beech Oak
 Ash undergth Spice & Pavers &c.

East On Random Between Secs. 12 & 13, T3N, R3E,

40 .00 Set the temp^y. q. Sec. post

80 .33 Intersected the N. & S. line 56 chs. N. of post

Land level 2^d rate timber Ash Beech Oak

&c. undergrowth Spice &c.

West Corrected Between Secs. 12 & 13, T3N, R3E,

40 .41 Set a q. Sec. post from which

an Oak 20 in. dia. bears S 65 E 14 chs. dist. &

an Ash 15 " " " N 19 W 18 " "

80 .33 to Section Corner

North Between Secs. 11 & 12, T3N, R3E,

20 .08 an Ash 20 in. dia.

40 .00 Set the q. Sec. post from which

a Beech 4 in. dia. bears N 41 W 5 chs. dist. &

an Ash 6 " " " S 7 $\frac{1}{2}$ E 9 " "

57 .32 a Beech 15 " "

T³N R 3 E 2^d. Mer. Indiana

30.00 Set post Cor. to Sec. 1, 2, 11 & 12, from which
 a Beech 15 in. dia. bears N 25 E 17 lks. dist. &
 a W. Do 4 " " " S 19 E 14 " "
 Land rolling 2^d. rate timber ash aspen Beech
 Oak, undergrowth, Spice &c.

East On Random Between Sec. 1, & 12, T³N. R. 3 E,
 40.00 Set the temp. q. Sec. post
 80.66 Intersected the N. & S. line 131 lks. N. of post.
 Land and timber as on the last mile -

West Corrected Between Sec. 1 & 12, T³N. R. 3 E,
 40.33 Set the q. Sec. post at average dist. from which
 a Beech 6 in. dia. bears N 10 E 14 lks. dist. &
 a Do 12 " " " S 30 W 25 " "
 80.66 to Section Corner

North Between Sec. 1 & 2, T³N. R. 3 E,
 26.50 a Beech 30 in. dia.
 40.00 Set the q. Sec. post from which
 a Beech 24 in. dia. bears N 35 W 35 lks. dist. &
 a Do 18 " " " S 25 E 28 " "
 55.25 a Beech 10 " "
 72.87 Intersected the N. boundary 3.25 lks. W. of post
 Set a post Cor. to Sec. 1 & 2, from which
 a Beech 28 in. dia. bears N 31 E 26 lks. dist. &
 a W. Beech 6 " " " S 11 W 27 " "
 Land level 2^d. rate timber Ash Beech Oak &c.
 undergrowth Spice &c.

North Between Sec. 34 & 35, T³N. R. 3 E,
 15.75 a Beech 18 in. dia.
 40.00 Set the q. Sec. post from which

13 N R 3 E. 2^d Mer. Indiana

- a Beech 15 in. dia. bears N 55 $\frac{1}{2}$ W 38 lks. dist. 8
 a Do 18 " " " S 15 $\frac{1}{2}$ E 28 " "
 47.00 a Swamp
 57.00 Left the Swamp
 60.10 a Sycamore 48 in. dia.
 80.00 Set a post Corner to Secs. 26, 27, 34, 35, from which
 a B. Oak 4 in. dia. bears S 88 $\frac{1}{2}$ E 8 lks. dist. 8
 a Poplar 4 " " " S 71 $\frac{1}{2}$ W 14 " "
 Land level 3rd. rate timber Sycamore Lignu Beech
 &c. undergrowth Spice Briers &c.

- East On Prandon Between Secs. 26 & 35, 13 N, R 3 E.
 40.00 Set the temp^y. of Sec. post
 79.50 Intersected the N. & S. line 1.20 lks. S. of post
 Land level 2^d. rate timber pawling undergth
 Hazel brush Briers &c.

- West Corrected Between Secs. 26 & 35, 13 N, R 3 E.
 39.75 Set the of Sec. post at average dist. from which
 a Beech 10 in. dia. bears S 45 E 25 lks. dist. 8
 a Do 18 " " " N 33 $\frac{1}{2}$ W 25 " "
 79.50 to Section Corner. Sept. 12th, 1820

- North Between Secs. 26 & 27, 13 N R 3 E,
 30.85 a Beech 10 in. dia. bears
 40.00 Set the of Sec. post from which
 a Sugar 6 in. dia. bears S 84 $\frac{1}{2}$ W 14 lks. dist. 8
 a Do 10 " " " N 64 E 18 " "
 70.50 a Hickory 20 " "
 80.00 Set the post Cor. to Secs. 22, 23, 26 & 27, from which
 a Beech 18 in. dia. bears N 21 E 8 lks. dist. 8
 a Do 15 " " " S 55 W 3 " "
 Land level 3^d. rate, Beech poplar Oak, undergth

17

T3 N R3 E, 2^d Mer. Indiana

Spice ash & Briers

East On Random Between Secs. 23 & 26, T3 N, R3 E,
 40 .00 Set the temp^y. q^r. Sec. post
 79 .45 Intersected the N. & S. line 1.45 lks. S. of post
 Land level 3^d. rate timber ash Beech Oak underg^r.
 Spice Water Oak Ash Briers &c.

West Corrected Between Secs. 23 & 26, T3 N, R3 E,
 39 .72 Set a q^r. Sec. post at average dist. from which
 a Hickory 4 in. dia^r. bears N 25 E 28 lks. dist. &
 a B. Oak 36 " " " S 17 W 14 " "
 79 .45 to Section Corner

North Between Secs. 22 & 23, T3 N, R3 E,
 23 .07 an Ash 26 in. dia^r.
 40 .00 Set the q^r. Sec. post from which
 a Beech 10 in. dia^r. bears N 63 W 34 lks. dist. &
 a Dogwood 3 " " " S 43 E 15 " "
 55 .12 a B. Oak 30 " "
 73 .40 a Small Branch 4 lks. ^{wide} Course W.
 80 .00 Set a post Cor. to Secs. 14, 15, 22 & 23, from which
 a Beech 18 in. dia^r. bears S 48 E 24 lks. dist. &
 a Do 24 " " " North 16 " "
 Land rolling 2^d. rate timber Beech Oak Sugar &c.
 undergrowth Spice &c.

East On Random Between Secs. 14 & 23, T3 N, R3 E,
 40 .00 Set the temp^y. q^r. Sec. post
 79 .00 Intersected the N. & S. line 1.66 lks. S. of post
 Land and timber as before

West Corrected Between Secs. 14 & 23, T3 N, R3 E,

St. R. R. 3 E. 2. Mer. Indiana

39.50 Set a q. Sec. post at average dist. from which
a Beech 36 in. dia. bears S 10 W 34 lks. dist. &
a Do 20 " " " N 36 E 14 " "
79.00 to Section Corner

North Between Sec. 14 & 15, T 13, R 3 E.

15.48 a Beech 18 in dia.

40.00 Set a q. Sec. post from which
a Beech 30 in. dia. bears N 8 E 20 lks. dist. &
an Ash 6 " " " S 60 W 5 " "

69.80 a Quaking Asp 18 in. dia.

80.00 Set the post Cor. to Sec. 10, 11, 14 & 15, from which
a Beech 20 in. dia. bears S 63 E 36 lks. dist. &
a Do 18 " " " N. 63 W 16 " "
Land rolling 2. rate timber, Oak, Beech Ash &c.
undergrowth Spice Hickory &c.

East On Random Between Sec. 11 & 14, T 13, R 3 E.

40.00 Set the temp. q. Sec. post

79.00 Intersected the N. & S. line 1.90 lks. S. of post
Land level 3. rate timber Beech, Oak, Aspen &c.
undergrowth Blue Hawth & Berries.

West Corrected Between Sec. 11 & 14, T 13, R 3 E.

39.50 Set q. Sec. post at average dist. & from which
a Hickory 7 in. dia. bears S 81 E 4 lks. dist. &
an Ash 6 " " " N 36 E 16 " "

79.00 To Section Corner

North Between Sec. 10 & 11, T 13, R 3 E.

22.40 a Beech 18 in dia.

40.00 Set a q. Sec. post from which
a Beech 26 in. dia. bears S 55 E 27 lks. dist. &

19

T3N R3E. 2^d Mer. Indiana

a Beech 30 in. dia. bears N 36 W 57 lks. dist. &
 65.82 a Beech 12 " "
 90.00 Set a post Cor. to Sec. 2, 3, 10, & 11, from which
 a Cherry 10 in. dia. bears N 35 E 29 lks. dist. &
 an Elm 10 " " " S 63 1/2 W 37 " "
 Land and timber as on last mile. Sept. 13th 1820

East On Random Between Sec. 2 & 11, T3N, R3E.
 3.83 a Creek 10 lks. wide Course N. W.
 8.80 a Do 12 " " " S. W.
 13.50 a Do 10 " " " N. W.
 40.00 Set the temp. q. of Sec. post
 79.54 Intersected the N. H. S. line 43 lks. S. of post -
 Land rolling 2^d rate temp. ash Beech underg. Spr.

West Corrected Between Sec. 2, 11, T3N, R3E.
 39.77 Set a q. Sec. post at average dist. from which
 a Beech 20 in. dia. bears N 72 1/2 E 13 lks. dist. &
 a Ironwood 6 " " " S 70 W 29 " "
 79.54 to Section Corner

North Between Sec. 2 & 3, T3N, R3E.
 2.80 a Stream 12 lks. wide Course N.
 36.58 a W. Walnut 18 in. dia.
 40.00 a Beech 3 in. dia. Corner tree from which
 a Beech 4 in. dia. bears N 3 W 14 lks. dist. &
 a Do 12 " " " S 10 E 17 " "
 71.35 a Buckeye 10 " "
 74.65 Intersected the N. boundary 2.42 lks. N. of post
 Set a post Corner to Sec. 2 & 3, from which
 a Buckeye 7 in. dia. bears N 44 E 34 lks. dist. &
 an Elm 24 " " " S 70 W 31 " "
 Land and timber as on the last mile.

T13 N. R3 E. 2^d Mer. Indiana

North Between Secs. 33 & 34, T13 N. R3 E.

21.30 a Beech 20 in. dia.

40.00 Set a q. Sec. post from which

a Beech 12 in. dia. bears N18 W41 lks dist. &

a Sugar 12 " " " S5 E 41 " "

74.20 a Beech 18 " "

80.00 Set a post Corner to Secs. 27, 28, 33 & 34, from which

a Beech 18 in. dia. bears N16 W13 lks dist. &

a Do 12 " " " S51 E 39 " "

Land level 2^d rate timber. Ash Beech Sugar &c
undergrowth Spice &c.

East On Random Between Secs. 27 & 34, T13 N. R3 E.

40.00 Set the temp. q. Sec. post

80.89 Intersected the N. & S. line 50 lks S. of post.

Land and timber as on the last mile

West Corrected Between Secs. 27 & 34, T13 N. R3 E.

40.44 Set the q. Sec. post at average dist. from which

a Beech 20 in. dia. bears N5 W25 lks dist. &

a Do 10 " " " S16 E 18 " "

80.89 to Sec. Corner

North Between Secs. 27 & 28, T13 N. R3 E.

28.22 a Sugar 15 in. dia.

40.00 Set the q. Sec. post from which

a Beech 12 in. dia. bears N7 E43 lks dist. &

a Do 10 " " " S3 E 39 " "

58.33 an Ash 30 " "

80.00 Set a post Corner to Secs. 21, 22, 27 & 28, from which

a W. Oak 18 in. dia. bears N26 W38 lks dist. &

a Beech 10 " " " S7 E 22 " "

Land level 2^d rate timber Ash Oak Beech

N 3 N R 3 E. 2^d. Mer. Indiana

Sugar &c. undergrowth Spice &c.

East On Between Secs. 22 & 27, T 13 N. R 3 E.

40.00 Set the temp^y. q^r. Sec. post

31.00 Intersected the N & S. line 8 lks S. of post
Land level 2^d. rate timber Ash Beech Sugar &c.
undergrowth Spice &c.

West Corrected Between Secs. 22 & 27, T 13 N. R 3 E.

40.50 Set q^r. Sec. post at average dist. from which
a Beech 12 in. diam. bran N 72 E 9 lks. dist. of
an Ash 12 " " " S 27 N 24 " "

81.00 to Sec. Corner

North Between Secs. 21 & 22, T 13 N. R 3 E.

31.90 a Beech 18 in. diam.

40.00 Set the q^r. Sec. post, from which
a Beech 20 in. diam. bran N 10 E 34 lks. dist. of
a Ho 10 " " " S 40 E 6 " "

53.00 a Poplar 10 " "

80.00 Set a post Cor. to Secs. 15, 16, 21 & 22, from which
an Ash 5 in. diam. bran S 80 E 14 lks. dist. of

a Beech 18 " " " N 86 N 22 " "

Land level 2^d. rate, Ash, Beech, Poplar;
undergrowth Spice &c

East On Random between Secs. 15 & 22, T 13 N. R 3 E.

40.00 Set temp^y. q^r. Sec. post

50.90 a Branch 6 lks. wide Course N.

75.10 a Ho 4 " " " N.W.

81.00 Intersected the N & S. line 68 lks. N. of the post
Land rolling 2^d. rate, timber Ash, Beech, Eng?
undergrowth Dogwood, Spice &c

T13N R3E 2^d Mer. Indiana

West Corrected between Sec. 15 & 22, T13N R3E.
 40.50 Let the q. Sec. post, at average dist. from which
 a Sugar 26 in. dia. tray N85E 14 lks. dist. of
 a Beech 20 " " " S55W 44 " "
 81.00 to Sec. Corner.

North Between Sec. 15 & 16, T13N R3E.
 17.80 a Beech 20 in. dia. /
 40.00 Let the q. Sec. post, from which
 a Beech 15 in. dia. tray N40W 8 lks. dist. of
 a Do 20 " " " S40E 21 " "
 56.38 a Beech 20 " "
 80.00 Let a post Cor. to Sec. 9, 10, 15 & 16, from which
 a Beech 23 in. dia. tray N46E 4 lks. dist. of
 a Do 30 " " " S66W 25 " "
 Land rolling 2^d rate, timber Ash, Beech &c. and g. Spruce

East On Rand^m. between Sec. 10 & 15, T13N R3E.
 40.00 Let temp. q. Sec. post
 81.10 Intersected the N & S. line 36 lks. N. of the post
 Land rolling 2^d rate, timber Ash, Beech &c. and g. Spruce

West Corrected between Sec. 10 & 15, T13N R3E.
 40.55 Let q. Sec. post at average dist. from which
 a Beech 12 in. dia. tray N55W 11 lks. dist. of
 a Do 20 " " " S35E 24 " "
 81.10 to Sec. Corner. Sept. 14th 1820

North Between Sec. 9 & 10, T13N R3E.
 25.00 a P. Walnut 20 in. dia.
 40.00 Let the q. Sec. post, from which
 a Mulberry 24 in. dia. tray N45W 9 lks. dist. of
 a Beech 10 " " " S26E 26 " "

T3 N R3 E 2^d Mer. Indiana

59.64 an Ash 8 in. dia.
 72.90 a Spring branch 4 lks. wide Course N.W.
 76.70 a Creek 12 lks. wide Course W.
 79.10 a Do 15 " " " S.E.
 80.00 Set a post Cor. to Sec. 3, 4, 9 & 10, from which
 a Sugar 15 in. dia. bear S 24 W 34 lks. dist. &
 a Beech 12 " " " N 32 E 70 " "
 Land level 2^d rate, timber Beech, Sugar, Ash &c.
 undergrowth Spice &c.

East On Rand. between Sec. 3 & 10, T3 N. R3 E.

0.15 a creek 18 lks. wide Course N.W.
 40.00 Set temp. q. Sec. post
 80.90 Intersected the N. & S. line at the post.
 Land rolling 2^d rate timber ash Beech &c. undergrowth Spice.

West Corrected Between Sec. 3 & 10, T3 N. R3 E.

40 45 Set a q. Sec. post at average dist. from which
 a Buckeye 10 in. dia. bears N 65 W 19 lks. dist. &
 a Do 12 " " " S 39 E 11 " "
 80 .90 to Section Corner

North Between Sec. 3 & 4, T3 N. R3 E.

00 .25 a stream 15 lks. wide Course N.W.
 25 .96 a Do 20 " " " W.
 26 .30 a Walnut 7 in. dia.
 40 .00 Set a q. Sec. post from when
 a W. Oak 12 in. dia. bears N 10 W 25 lks. dist. &
 a Beech 15 " " " S 21 W 25 " "
 54 .45 a Sugar 15 " "
 73 .29 Intersected the N. boundary 3.32 lks. N. of post
 Set a post Cor. to Sec. 3, & 4 from which
 a Beech 10 in. dia. bears N 24 W 26 lks. dist. &

S3 N. R3 E. 2^d. Mer. Indiana

an Elm 4 in. dia. bears S31 E 18 lks. dist.
 Land level 2^d. rate timber Ash Beech Sugar &c.
 undergrowth Spice &c.

North Between Secs. 32 & 33, S13 N. R3 E.

27.60 a Beech 20 in. dia.

40.00 Set a q. Sec. post from which

a Beech 26 in. dia. bears N50 W 42 lks. dist. &

a Sugar 18 " " " S50 E 7 " "

72.15 a Sugar 15 " "

80.00 Set a post Cor. to Secs. 28, 29, 32 & 33, from which

a Beech 18 in. dia. bears S79 E 37 lks. dist. &

a Do 20 " " " N67 W 27 " "

Land level 2^d. rate timb. Ash Beech Sugar under-
 growth Spice

East On Random Between Secs. 28 & 33, S13 N. R3 E.

40.00 Set temp. q. Sec. post

80.60 Intersected the N. & S. line 1.46 lks. S. of post

Land Hilly 3^d. rate timber Beech Oak & undergth.

Spice Dogwood Hickory Beech & Briars. Sept. 15th. 1820.

West Corrected Between Secs. 28 & 33, S13 N. R3 E.

40.30 Set a q. Sec. post at average dist. from which

a W. Oak 30 in. dist bears N30 E 19 lks. dist. &

a Do 24 " " " S45 W 61 " "

80.60 to Section Corner. September 15th. 1820

North Between Secs. 28 & 29, S13 N. R3 E.

20.13 a Beech 18 in. dia.

40.00 Set a q. Sec. post from which

a Beech 20 in. dia. bears N60 W 5 lks. dist. &

a Do 24 " " " S60 E 25 " "

Comb

T13 N R3 E 2^d Mer. Indiana

54.80 an Ash 18 in. dia.

80.00 Set a post Cor. to Secs. 20, 21, 28 & 29, from which
a Beech 24 in. dia. bears N 32 E 30 chs. dist. &
a Do 18 " " " S 31 W 35 " "
Land rolling 2^d rate timber, Beech, Oak, Ash &c.
undergrowth Spice.

East On Random Between Secs. 21 & 28, T13 N R3 E,

40.00 Set the temp. y. of Sec. post.

80.00 Intersected the N. & S. line 180 chs. S. of post.
Land and timber as on the last mile.

West Corrected Between Secs. 21 & 28, T13 N R3 E.

40.00 Set a qf. Sec. post at average dist. from which
a Beech 15 in. dia. bears N 15 W 20 chs. dist. &
a Do 12 " " " S 30 E 5 " "

80.00 To Section Corner

North Between Secs. 20 & 21, T13 N R3 E.

23.50 a Beech 10 in. dia. bears.

40.00 Set a qf. Sec. post from which
a Sugar 7 in. dia. bears N 20 W 20 chs. dist. &
a Do 6 " " " S 10 W 3 " "

66.25 a Beech 12 " "

80.00 Set a post Corner to Secs. 16, 17, 20 & 21, from which
a Beech 30 in. dia. bears S 7 E 44 chs. dist. &
a Do 13 " " " N 14 W 38 " "
Land rolling 2^d rate Sugar Beech undergth Spice.

East On Random Between Secs. 16 & 21, T13 N R3 E.

40.00 Set the temp. y. of Sec. post

80.00 Intersected the N. & S. line 2.30 chs. S. of post
Land level 2^d rate timber Beech Oak Ash &c.

T13 N R3 E 2nd Mer. Indiana

undergrowth Spice Hc.

West Corrected Between Sec. 16 & 21, T13 N R3 E,
 40.00 Set qf. Sec. post at average dist. from which
 an Ash 10 in. dia. bears S21 E 22 lks. dist. &
 a B. Walnut 12 " " " N54 W 21 " "
 80.00 to Section Corner.

North Between Sec. 16 & 17, T13 N R3 E,
 22.25 a Beech 18 in. dia.
 40.00 Set qf. Sec. post from which
 a Beech 20 in. dia. bears N70 E 53 lks. dist. &
 a Do 13 " " " S55 W 43 " "
 45.50 a Small Branch 6 lks. wide Course N. W.
 67.15 a Sugar 12 in. dia.
 80.00 Set a post Cor. to Sec. 8, 9, 16 & 17, from which
 a Beech 22 in. dia. bears N41 W 19 lks. dist. &
 a Do 12 " " " S19 E 27 " "
 Land level 2^d rate timber Ash Beech Sugar and 1st Spruce.

East On Random Between Sec. 9 & 16, T13 N R3 E,
 40.00 Set the temp. 7th Sec. post
 79.67 Intersected the N. & S. line 2.21 lks. S. of post
 Land and timber as on the last mile.

West Corrected Between Sec. 9 & 16, T13 N R3 E,
 39.83 Set a qf. Sec. post at average dist. from which
 a Beech 10 in. dia. bears S12 E 32 lks. dist. &
 a Do 26 " " " N35 W 42 " "
 79.67 to Section Corner

North Between Sec. 8 & 9, T13 N R3 E,
 19.00 a Small Branch 8 lks. wide Course S. W.

27

S13 N R3 E 2nd Mer. Indiana

- 20 .46 a Beech 12 in. dia.
 40 .00 Set a q. Sec. post from which
 a Beech 11 in. dia. bears S 75 E 23 lks. dist. &
 an Ash 12 " " " N 86 W 11 " "
- 61 .50 a Beech 24 " "
 80 .00 Set a post Corner to Sec. 4, 5, 8 & 9. from which
 a Beech 24 in. dia. bears S 10 E 36 lks. dist. &
 a Buckeye 8 " " " N 11 E 20 " "
 Land rolling 2nd rate, Ash, Beech & underyth piece.

- East On Random Between Sec. 4 & 9, S13 N R3 E,
 40 .00 Set the temp^y. q. Sec. post
 41 .20 a Swamp
 46 .75 left Swamp
 79 .30 Stream 10 lks. wide Course N.
 80 .20 Intersected the N. & S. line 1.64 lks. S. of post
 Land and timber as on last mile.

- West Corrected Between Sec. 4 & 9, S13 N R3 E,
 40 .10 Set the q. Sec. post at average dist. from which
 a Beech 10 in dia. bears N 40 W 25 lks. dist. &
 a Do 12 " " " S 15 E 28 " "
 80 .20 to Section Corner

- North Between Sec. 4 & 5, S13 N R3 E,
 77 .53 an Elm 6 in. dia.
 40 .00 Set a q. Sec. post from which
 a W Beech 6 in. dia. bears N 5 W 12 lks. dist. &
 a Gynw 6 " " " S 12 E 35 " "
 59 .40 a Sugar 7 " "
 73 .65 Intersected the N. boundary 4.60 lks. W. of post
 Set a post Cor. to Sec. 4 & 5, from which
 a Beech 6 in. dia. bears N 89 W 19 lks. dist. &

T13N - R3E, 2nd Mer. Indiana

a Beech 20 in. dia. bears S 23 - 22 lks. dist.
Land level 2nd rate timber Ash Beech Sugar
He. undergrowth Spice. Sept. 16th 1820.

North Between Sec. 31, & 32, T13N, R3E,

34.30 a Sugar 20 in. dia.

40.00 Set a q. Sec. post from which

a Sugar 12 in. dia. bears N 16 W 9 lks. dist. &

a Do 6 " " " S 63 E 6 " "

55.50 a Beech 10 " "

80.00 Set a post Corner to Sec. 29, 30, 31 & 32, from which

a Beech 8 in. dia. bears N 22 E 37 lks. dist. &

a Do 13 " " " S 10 W 14 " "

Land and timber as on the last mile

East On Random Between Sec. 29 & 32, T13N, R3E,

40.00 Set the temp. q. Sec. post

80.50 Intersected the N. & S. line 1.28 lks. S. of post

Land and timber as before -

West Corrected Between Sec. 29 & 32, T13N, R3E,

40.25 Set the q. Sec. post at average dist. from which

a Beech 24 in. dia. bears S 55 E 20 lks. dist. &

a Do 12 " " " N 60 W 32 " "

80.50 to Section Corner

West Between Sec. 30 & 31, T13N, R3E,

18.80 a Blk. Oak 18 in. dia.

40.00 Set the q. Sec. post from which

a Beech 6 in. dia. bears - 71 W 10 lks. dist. &

a Sugar 6 " " " S 81 E 13 " "

63.65 a Poplar 60 " "

66.80 Intersected W. boundary 3.51 lks. N. of post

T13 N. R3 E. 2^d. Mer. Indiana

Set a post Cor. to Sec. 30 & 31, from which
a Beech 10 in. dia. bears S16 E 29 lks. dist. &
a Do 12 " " " N7 W 24 " "
Land tolling 2^d. rate ash, Poplar, Beech, Sugar,
undergrowth Spice.

North Between Sec. 29 & 30, T13 N, R3 E,
33.50 a Sugar 15 in. dia.
40.00 Set the q^r. Sec. post from which
a Beech 10 in. dia. bears N21 W 30 lks. dist. &
a Sugar 20 " " " S21 E 16 " "
58.30 a Beech 20 " "
80.00 Set a post Corner to Sec. 19, 20, 29 & 30, from which
a Beech 12 in. dia. bears S26 E 9 lks. dist. &
a Do 20 " " " N24 W 22 " "
Land level 2^d. rate timber, ash, Beech, Sugar &c.
undergrowth Spice &c.

East On Random Between Sec. 20, & 29, T13 N, R3 E,
40.00 Set the temp^y. q^r. Sec. post
80.23 Intersected the N. & S. line 1.11 lks. S. of post,
Land and timber as before

West Corrected Between Sec. 20, & 29, T13 N, R3 E,
40.11 Set the q^r. Sec. post at average dist. from which
an Ash 20 in. dia. bears S25 E 20 lks. dist. &
a Beech 12 " " " N7 E 28 " "
80.23 to Section Corner

West Between Sec. 19 & 30, T13 N, R3 E,
21.68 a Beech 9 in. dia.
40.00 Set the q^r. Sec. post from which
a Sugar 4 in. dia. bears N85 W 30 lks. dist. &

T13 N R3 E 2^d. Mer. Indiana

- a Beech 12 in. dia. bears S 55 E 19 lks. dist.
 51.80 a Beech 20 " "
 64.50 a Swamp -
 67.00 Intersected the West boundary 3.90 lks. N. of post
 Set a post Corner to Sec. 7. 19, 30. from which
 an Elm 6 in. dia. bears N 36 W 17 lks. dist. &
 a Do 30 " " " N 57 E 20 " "
 Land and timber as on last mile

- North Between Sec. 19 & 20, T13 N, R3 E.
 20.36 a Sugar 26 in. dia.
 26.70 a Stream 7 lks. wide Course W.
 40.00 Set a q. Sec. post from which
 a Sugar 20 in. dia. bears N 72 W 25 lks. dist. &
 a Beech 24 " " " S 30 E 17 " "
 54.85 a Sugar 12 " "
 67.40 a Branch 6 lks. wide Course W.
 80.00 Set a post Corner to Sec. 17, 18, 19 & 20, from which
 a B. Walnut 10 in. dia. bears S 20 E 9 lks. dist. &
 a Sugar 9 " " " N 5 E 43 " "
 Land rolling 2^d. rate Ash Sugar Beech &c.
 undergrowth Spice

- East On Random Between Sec. 17 & 20, T13 N, R3 E
 40.00 Set the temp. q. Sec. post
 80.08 Intersected the N. & S. line 1.62 lks. S. of post
 Land and timber as before

- West Corrected Between Sec. 17 & 20, T13 N, R3 E.
 40.04 Set a q. Sec. post at average dist. from which
 an Ash 24 in. dia. bears N 6 W 32 lks. dist. &
 a Do 18 " " " S 22 E 41 " "
 80.08 to Section Corner. Sept. 18th 1820

S13 N R 3 E 2nd. Men. Indiana

West Between Sec. 18 & 19, S13 N R 3 E.

20.00 an Ash 20 in. dia.

40.00 a Beech 18 in. dia. Corner tree from which
a Beech 15 in. dia. bears N 87 E 30 lks dist. &
a Do 20 " " " S 78 W 20 " "

45.00 a Stream 12 lks. wide Course N. W.

50.00 a Hickory 15 in. dia.

66.48 Intersected the W. boundary 4.10 lks. N of post
Set a post Corner to Sec. 18 & 19, from which
a Beech 26 in. dia. bears N 5 E 15 lks dist. &
a Sugar 6 " " " S 1 W 18 " "
Land and timber as before —

North Between Sec. 17 & 18, S13 N. R 3 E.

23.16 a Sugar 26 in. dia.

40.00 Set a q. Sec. post from which
a Sugar 6 in. dia. bears N. 19 W 19 lks dist. &
an Ash 4 " " " S 3 W 8 " "

57.05 a Beech 20 " "

80.00 Set a post Cor. to Sec. 7, 8, 17 & 18, from which
a Sugar 9 in. dia. bears N 36 W 40 lks dist. &
a Do 10 " " " S 55 E 7 " "
Land and timber as on the last mile

East On Random Between Sec. 8 & 17, S13 N. R 3 E.

16.78 a Branch 8 lks. wide Course N. W.

18.70 a Do 9 " " " S. W.

21.00 a Do 7 " " " N. W.

40.00 Set the temp. q. Sec. post

80.26 Intersected the N. & S. line 1.09 lks. S of post
Land and timber as on the last mile

West Corrected Between Sec. 8 & 17, S13 N. R 3 E.

S13 N - R3 E, 2nd Mer. Indiana

- 40.13 Set a g. Sec. post at average dist. from which
 a Sugar 15 in. dia. bears N 12 W 33 chs. dist. 8
 a Buckeye 18 " " " S 15 W 31 " "
 80.26 to Section Corner

- West Between Sec. 7 & 18, S13 N R3 E,
 21.40 a Sugar 12 in. dia.
 40.00 Set a g. Sec. post from which
 an Elm 7 in. dia. bears S 70 W 29 chs. dist. 8
 a Sugar 8 " " " N 40 E 14 " "
 54.66 a Beech 12 " "
 67.00 Intersected W. boundary 405 chs. N of post
 Set a post Cor. to Sec. 7 & 18, from which
 a Hackberry 12 in. dia. bears N 44 W 34 chs. dist. 8
 a Buckeye 4 " " " S 31 E 15 " "
 Land Hilly 2nd rate Oak Beech Sugar undergth Spice

- North Between Sec. 7 & 8, S13 N R3 E,
 22.34 an Ash 36 in. dia.
 40.00 Set a g. Sec. post from which
 a W. Beech 5 in. dia. bears N 15 E 36 chs. dist. 8
 a Beech 24 " " " S 8 W 50 " "
 59.38 a Beech 8 " "
 80.00 Set a post Corner to Sec. 5, 6, 7, & 8, from which
 a Buckeye 6 in. dia. bears N 65 W 11 chs. dist. 8
 a Hackberry 5 " " " S 85 E 13 " "
 Land and timber as before

- East On Random Between Sec. 5 & 8, S13 N R3 E,
 40.00 Set the temp. g. Sec. post from which
 80.00 Intersected the N. & S. line 109 chs. S. of post
 Land and timber as before

S13 N R3 E 2^d Mer. Indiana

West Corrected Between Sec. 5 & 8, S13 N R3 E,
 40.00 Set a q. Sec. post at average dist. from which
 a W. Beech 6 in. dia. bears N 33 E 10 lks. dist. &
 an Elm 40 " " " S 3 W 19 " "
 80.00 to Section Corner

West Between Sec. 6 & 7, S13 N R3 E,
 21.63 a Buckeye 10 in. dia.
 36.40 W. River 2.70 lks. wide Course S. Current raped
 Set a post from which
 a Hackberry 10 in. dia. bears S 43 E 16 lks. dist. &
 a Sycamore 36 " " " N 5 E 21 " "
 40.00 Set the q. Sec. post in River, from which
 a Maple 7 in. dia. bears N 43 W 30 lks. dist. &
 a Do 7 " " " S 25 W 55 " "
 40.20 Set a post at R. from which
 a Maple 7 in. dia. bears North 25 lks. dist. &
 a Do 6 " " " S 20 W 50 " "
 54.60 a Honey Locust
 55.50 W. River 2.92 lks. wide Course N. E. current
 Set a post from which
 a Maple 6 in. dia. bears S 24 E 11 lks. dist. &
 a Do 3 " " " N 24 W 3 " "
 56.60 Set a post at River from which
 an Ash 6 in. dia. bears N 58 W 19 lks. dist. &
 a Do 6 " " " S 10 W 27 " "
 67.00 Intersected W. boundary 3.16 lks. N. of post
 Set a post Corner to Sec. 6 & 7, from which
 a Buckeye 18 in. dia. bears S 67 E 15 lks. dist. &
 an Ash 18 " " " N 70 W 23 " "
 Land and timber as on the last mile

North Between Sec. 5 & 6, S13 N R3 E,

T13N R3E 2d Mer. Indiana

- 30 .36 a Buckeye 10 in. dia.
 40 .00 Set the of. Sec. post from which
 a Beech 10 in dia. bears N 20 W 12 lks dist. &
 a Do 6 " " " S 60 E 7 " "
 65 .95 an Ash 20 " "
 74 .05 Intersected the N. boundary 3.55 lks. W. of post
 Set a post Corner to Sec. 5 & 6, from which
 a Beech 6 in. dia. bears N 10 E 6 lks dist. &
 an Elm 3 " " " South 4 " "
 Land &c. as before. Sept. 19th 1820.

Meanders of the Right bank of White River, from
 a post in the N. boundary, thence down stream.

- | | | |
|--------|-------|--|
| S 15 E | 4.23 | in Sec. 6. T13N. R3E. |
| S 34 E | 12.69 | |
| S 5 W | 5.18 | |
| S 25 W | 12.00 | |
| S 5 E | 7.16 | |
| S 25 E | 5.40 | |
| S 70 E | 3.50 | an Island |
| S 12 W | 12.70 | |
| S 70 W | 12.40 | |
| S 30 W | 3.69 | lower point of Island |
| N 64 W | 3.07 | |
| N 55 W | 6.20 | |
| N 83 W | 0.31 | Intersected the line betw. Ranges 2 & 3 E. |

Meanders of the left Bank of White River, from the
 N. boundary of T13N. R3E; thence up stream

- | | | |
|--------|-------|----------------------------|
| S 58 E | 2.00 | in Sec. 6. in T13N. R3E. |
| S 27 E | 3.00 | an Island |
| S 27 E | 10.70 | to line between Sec. 6 & 7 |

S13 N. R3 E. 2^d. Mer. Indiana

S27 E	16.50	in Sec. 7, S13 N. R3 E
S20 E	7.00	
S45 E	4.00	
S70 E	3.50	
N82 E	5.50	
N53 E	5.50	
N25 E	9.00	
N10 E	7.00	
N25 W	1.68	to line between Sect. 6 & 7

N25 E	5.50	in Sec. 6, S13 N. R3 E
N5 E	16.00	
N43 E	2.50	
N59 E	4.50	an Island
N59 E	16.00	
N70 E	4.50	
N45 E	5.00	
N24 E	8.00	Sept. 25 th 1820
N10 E	3.50	
N13 W	4.00	
N39 W	5.50	
N66 W	3.50	
West	4.00	
S60 W	2.00	
S27 W	1.00	
S65 W	1.00	
S85 W	1.50	
S40 W	4.50	
S20 W	14.50	upper end of Island
West	6.50	upper end of the Island next preceding this
S55 W	1.00	
N47 W	2.50	
N5 E	6.50	

T13N R3E 2^d Mer. Indiana

N 25 E 11.00

North 6.00

N 13 W 5.50

N 30 W 10.00

N 45 W 4.00

N 25 W 2.00 Intersected the N. boundary T13N R3E
Surveyed by Basil Bently, Dep. Sur

Comp^d

I Certify that the foregoing transcript of field notes
of Township N^o 13 N. Range N^o 3 E. 2^d Mer. Indiana
has been Comp^d with the original notes in this Office &
found to be correct.

Surveyor General's Office
Cincinnati, May 25, 1844

W D Cairnes
Sur. Genl.